



Revision date: 23.01.2023

PERFEKTAN NEU
Product code: 00320-0087-GHS

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

PERFEKTAN NEU

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Disinfectant for processing of instruments

1.3. Details of the supplier of the safety data sheet

Company name:	Dr. Schumacher GmbH	
Street:	Am Roggenfeld 3	
Place:	34323 Malsfeld / DEUTSCHLAND	
Telephone:	+49 (0) 5664/9496-0	Telefax: +49 (0) 5664/8444
e-mail:	post@schumacher-online.com	
Internet:	www.schumacher-online.com	
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de	

1.4. Emergency telephone number: INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Acute Tox. 4; H302
Skin Irrit. 2; H315
Eye Dam. 1; H318
Skin Sens. 1; H317
Aquatic Acute 1; H400
Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

Alcohol ethoxylate C9-C11
Tridecylamine
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine
Maleic acid

Signal word: Danger**Pictograms:****Hazard statements**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.

**PERFEKTAN NEU**

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 2 of 11

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P273	Avoid release to the environment.
P501	Dispose of contents/container to approved disposal company or local collection.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Aqueous preparation with detergents and solvents

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
169107-21-5	Alcohol ethoxylate C9-C11			< 15 %
	Acute Tox. 4, Eye Dam. 1; H302 H318			
112-34-5	2-(2-Butoxyethoxy)ethanol			< 15 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
106232-83-1	Alcohol ethoxylate C12-C15			< 5 %
	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 3; H302 H318 H412			
86089-17-0	Tridecylamine			< 5 %
	289-185-9		01-2119461722-40	
	Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H335 H400 H410			
2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine			< 5 %
	219-145-8		01-2119980592-29	
	Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H301 H314 H318 H373 H400 H410			
110-16-7	Maleic acid			1 - 2 %
	203-742-5	607-095-00-3	01-2119488705-25	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H312 H302 H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.



PERFEKTAN NEU

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 3 of 11

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
169107-21-5		Alcohol ethoxylate C9-C11	< 15 %
		oral: ATE = 500 mg/kg	
106232-83-1		Alcohol ethoxylate C12-C15	< 5 %
		oral: ATE = 500 mg/kg	
86089-17-0	289-185-9	Tridecylamine	< 5 %
		oral: LD50 = 820 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	
2372-82-9	219-145-8	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	< 5 %
		oral: LD50 = 261 mg/kg Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=10	
110-16-7	203-742-5	Maleic acid	1 - 2 %
		dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,1 - 100	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.
If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.
In the event of symptoms refer for medical treatment.

After contact with skin

Wash off immediately with soap and plenty of water.
Consult a doctor if skin irritation persists.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Consult (eye) doctor immediately.

After ingestion

Do not provoke vomiting. Consult physician. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients. Rinse mouth. Make drink some glasses of water. The decision whether to provoke vomiting is to be taken by a physician.

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed.
Causes serious eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
Watch out. Beware, hazard of foam aspiration.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet



PERFEKTAN NEU

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 4 of 11

5.2. Special hazards arising from the substance or mixture

Fire may produce:
carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Additional information

Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ensure adequate ventilation.
Keep away noninvolved persons.

For non-emergency personnel

Do not breathe vapours.
Avoid contact with skin, eyes and clothing.

For emergency responders

In case of vapour formation use respirator.
Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).
Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).
Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.
Avoid contact with skin, eyes and clothing.
Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)



Disinfectant for processing of instruments

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

8.2. Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

Avoid contact with skin, eyes and clothing.

Eye/face protection

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

Hand protection

Chemical-resistant gloves (EN 374)

(recommended: minimum protection index 2, corresponding to a permeation rate > 30 minutes according to EN 374)

Butyl rubber - Butyl (0,5 mm)

Fluoro-rubber - FKM (0.4 mm)

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	Green
Odour:	Perfumed (scented)

Test method

pH-Value:	8,5 - 10,5	Concentrate
-----------	------------	-------------

Changes in the physical state

Melting point/freezing point:	n.d.
Boiling point or initial boiling point and boiling range:	approx. 100 °C
Sublimation point:	n.a.

**PERFEKTAN NEU**

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 6 of 11

Softening point: n.d.

Flash point: n.a.

Sustaining combustion: Not sustaining combustion

Flammability

Solid/liquid: n.a.

Explosive properties

The product is not explosive.

Lower explosion limits: n.d.

Upper explosion limits: n.d.

Auto-ignition temperature: n.a.

Self-ignition temperature

Solid: n.a.

Gas: n.a.

Decomposition temperature: n.d.

Oxidizing properties

Not oxidising.

Vapour pressure: n.d.

Density (at 20 °C): 0,995 - 1,050 g/cm³

Bulk density: n.a.

Water solubility:
(at 20 °C) Miscible**Solubility in other solvents**

n.d.

Partition coefficient n-octanol/water: n.d.

Viscosity / dynamic: 16 - 25 mPa·s

Viscosity / kinematic: n.d.

Flow time: n.d.

Relative vapour density: n.d.

Evaporation rate: n.d.

Solvent separation test: n.d.

Solvent content: 10 %

9.2. Other information

No data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.



PERFEKTAN NEU

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 7 of 11

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

No hazardous decomposition products known.

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1396,8 mg/kg

Irritation and corrosivity

Causes skin irritation. (On basis of test data)

Causes serious eye damage. (On basis of test data)

Skin: Non corrosive [OECD 435]

Sensitising effects

May cause an allergic skin reaction. (Maleic acid)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Other information

Ingestion causes irritation to the respiratory system and gastrointestinal disturbance.

Watch out. Beware, hazard of foam aspiration.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties



according to UK REACH Regulation

PERFEKTAN NEU

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 8 of 11

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Hazardous water pollutant.

Further information

This concentrate is not allowed to be released into the sewerage, surface water or groundwater.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:**

UN 3082

14.2. UN proper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Disinfectant cleaning agent)**14.3. Transport hazard class(es):**

9

14.4. Packing group:

III

Hazard label:

9



Classification code:

M6

Limited quantity:

5 L / 30 kg

Excepted quantity:

E1

Transport category:

3

Hazard No:

90

Tunnel restriction code:

-

Other applicable information (land transport)

Special provision 375: Product in packaging (inner packaging, single packaging) up to 5 L is not subject to the provisions of ADR/RID.

Inland waterways transport (ADN)**14.1. UN number:**

UN 3082

14.2. UN proper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Disinfectant cleaning agent)**14.3. Transport hazard class(es):**

9

14.4. Packing group:

III

Hazard label:

9



PERFEKTAN NEU

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 9 of 11




Classification code: M6
Limited quantity: 5 L / 30 kg
Excepted quantity: E1

Other applicable information (inland waterways transport)

Special provision 375: Product in packaging (inner packaging, single packaging) up to 5 L is not subject to the provisions of ADN.

Marine transport (IMDG)

14.1. UN number: UN 3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Disinfectant)
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9




Marine pollutant: Yes
Limited quantity: 5 L / 30 kg
Excepted quantity: E1
EmS: F-A, S-F

Other applicable information (marine transport)

Subsection 2.10.2.7 IMDG Code: Product in packaging (inner packaging, single packaging) up to 5 L is not subject to the provisions of MDG Code.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Disinfectant)
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Limited quantity Passenger: 30 kg G
Passenger LQ: Y841
Excepted quantity: E1
IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

Other applicable information (air transport)

Special provision A197: Product in packaging (inner packaging, single packaging) up to 5 L is not subject to the provisions of IATA/DGR.

14.5. Environmental hazards

**PERFEKTAN NEU**

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 10 of 11

ENVIRONMENTALLY HAZARDOUS: Yes

**14.6. Special precautions for user**

Take the usual precautions when handling with chemicals.

14.7. Maritime transport in bulk according to IMO instruments

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

2004/42/EC (VOC): 10 %

Additional information

Regulation (EC) No 648/2004 (Regulation on detergents):

15-30% Non-ionic surfactants, fragrances, Limonene, Disinfectant

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

Changes in section: 2, 3, 6, 7, 9, 11, 12, 14, 15, 16

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

**PERFEKTAN NEU**

Revision date: 23.01.2023

Product code: 00320-0087-GHS

Page 11 of 11

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	On basis of test data
Eye Dam. 1; H318	On basis of test data
Skin Sens. 1; H317	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

The provision of the safety data sheet does not automatically guarantee the marketability of the product.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)